

INSTITUTIONAL FURNITURE 2023

Single Seater



Distinct-S

Type 'C' - Size : 600 mm X 400 mm X 700 mm H - (For classes VII to IX)

Type 'D' - Size : 600 mm X 400 mm X 750 mm H - (For classes X & above)

Top: 18mm thick - MDF with Post formed finish - Blue shade-OSL

Book Shelf: Mesh - 6mm M.S rod

Frame for Desk and Chair: 48 mm X 22 mm X 1.6 mm; 35 mm X 15 mm X 1.2 mm; 32 mm X 12 mm X 1.2 mm M.S oval tubes & 25 mm X 25 mm X 1.2 mm Sq.tubes

- Munshell grey shade (powder coated)



Seat & Backrest: Moulded shell - Seat height 400mm from floor for Type - 'C' and 450mm for Type - 'D'

Scholar-S



Type 'C' - Size : 600 mm X 400 mm X 700 mm H - (For classes VII to IX)

Type 'D' - Size: 600 mm X 400 mm X 750 mm H - (For classes X & above)

Top: 18 mm thick - Grey shade - PLB - OSL.

Book Shelf: 18 mm thick - Grey Shade - PLB - OSL

Frame for Desk and Chair: 48 mm X 22 mm X 1.2 mm; 35 mm X 15 mm X 1.2 mm; 32 mm X 12 mm X 1.2 mm M.S oval tubes & 25 mm X 25 mm X 1.2 mm M.S sq.tubes

- Blue shade (powder coated).

Modesty: 1mm thick M.S perforated sheet - Blue shade (powder coated).

Seat & Back Rest : Moulded shell - Grey shade - Seat height 400mm from floor for and 450mm for Type - 'D'.



Type - 'C'

EFFICIENT-S

(kinderPLay)

Size: 600 mm X 400 mm

Top: 600 mm X 400 mm - 18 mm thick - MDF board - Postformed finish at two sides & PVC strip at other two sides - Midnight grey shade-OSL

Book Shelf: Mesh fabricated out of 6 mm thick rod - Anthracite Grey (powder coated).

Frame for Desk and Chair: 60 mm X 30 mm X 1.2 mm; 48 mm X 22 mm X 1.6 mm; 35 mm X 15 mm X 1.2 mm; 32 mm X12 mm X 1.2 mm and 25 mm X 25 mm X1.2 mm M.S oval & sq. - Anthracite grey & opel white shade (powder coated).

Seat & Back Rest: Moulded shell - Grey shade. Desk Height: Adjustable - 600 mm to 750 mm Seat Height: Adjustable - 300 mm to 450 mm



SOLO



Size: 600mm x 400mm x 750mm H (For classes X STD & above)

Frame for desk & chair: 48mm x 22mm x 1.2mm thick-M.S. oval tube-powder coated in opel white shade

Book shelf: 1mm thick M.S. sheet-3 sides covered-powder coated in opel white shade

Top: 18mm thick-MDF board-postformed finish at two sides & PVC strip at other two sides-midnight grey shade-OSL

Chair: Single moulded PVC shell-burgundy shade



ECO - S



Type - 'C': 600 mm X 400 mm X 700 mm H (for classes VII to IX)

Type - 'D': 600 mm X 400 mm X 750 mm H (for classes X to above)

Top, seat & backrest: 18mm thick-PLB-edge banded with PVC strip-OSL-bavarian beech shade

Frame: 25mm Sq. x 1mm thick M.S. tube-powder coated in black shade

Book shelf: 1mm thick M.S. sheet panel-3 sides covered-powder coated in black shade



BRAINO - S

Winderselfs equipments

Type - 'C': 600 mm X 400 mm X 700 mm H (for classes VII to IX)

Type - 'D': 600 mm X 400 mm X 750 mm H (for classes X to above)

Top, seat & backrest: 18mm thick - MDF board -2 sides postformed finish and 2 sides PVC strip finish(top),1 side postformed finish and 3 sides PVC strip finish (seat and backrest)

Frame: 25mm x 1.2mm thick Sq. tube & 1mm thick M.S.

sheet- powder coated in opel white shade

Book shelf: 1mm thick-M.S. sheet panel-3 sides covered-powder coated in opel white shade with bag hook on both sides

Colour options for

top, seat & backrest: Red/Caribe/Blue/Yellow/Orange/Green



FLEX - S



Type - 'C': 600 mm X 400 mm X 700 mm H (for classes VII to IX)

Type - 'D': 600 mm X 400 mm X 750 mm H (for classes X to above)

Top: 18 mm thick-finger joint board-polished

Book shelf: 1mm thick M.S sheet panel-3 sides covered-powder coated in black shade

Frame for desk: 25mm dia x 1.2mm thick M.S tube-powder coated in black

shade **Frame for chair:** 18mm dia x 1.2 mm thick M.S tube-powder coated in

black shade **Seat & back:** 12mm thick-moulded plywood-polished

Chair height: 400mm height from the floor for type-'C' and 450mm height for type-'D'



TUTOR



Size: 600 mm X 400 mm X 750 mm H (For classes X STD & above)

Top: 18mm thick-MDF board-postformed finish at two sides & PVC strip at other

two sides-OSL-wenge shade

Book Shelf: 450mm L x 300mm B-18mm thick-PLB-OSL-wenge shade

Modesty Panel: 450mm L x 400mm H-18mm thick-PLB-OSL-wenge shade

Frame - Desk: 1.2mm thick x 48mm x 22mm M.S. oval tube-powder coated finish inopel white shade

Frame - Chair: 1.2mm thick x 18mm dia M.S tubular under structure-powder coated finish in opel white shade

Seat & backrest: Single moulded PVC shell-white shade



Two Seater



Distinct-2S

Type 'C' - Size: 1200 mm X 400 mm X 700 mm H - (For classes VII to IX)

Type 'D' - Size : 1200 mm X 400 mm X 750 mm H - (For classes X & above)

Top: 18mm thick - MDF board - Post formed finish - Blue shade-OSL

Book Shelf: Mesh - 6mm M.S rod

Frame for Desk and Chair: 48 mm X 22 mm X 1.6 mm; 35 mm X 15 mm X 1.2 mm; 32 mm X 12 mm X 1.2 mm M.S oval tubes & 25 mm X 25 mm X 1.2 mm Sq.tubes - Munshell grey shade (powder coated)



Seat & Backrest: Moulded shell - Seat height 400mm from floor for Type - 'C' and 450mm for Type - 'D'

EFFICIENT-2S Size: Desk top-1200mm X 400mm

Top: 18 mm thick - Grey shade - PLB - OSL.

Top: 1200 mm X 400 mm - 8 mm thick - MDF board - Postformed finish at two sides & PVC strip at other two sides - Midnight grey shade-OSL

Book Shelf: Mesh fabricated out of 6 mm thick rod - Anthracite Grey (powder coated).

Frame for Desk and Chair: 60 mm X 30 mm X 1.2 mm; 48 mm X 22 mm X 1.6 mm; 35 mm X 15 mm X 1.2 mm; 32 mm X12 mm X 1.2 mm and 25 mm X 25 mm X

1.2 mm M.S oval & sq. - Anthracite grey & opel white shade (powder coated).

Seat & Back Rest : Moulded shell - Grey shade. **Desk Height:** Adjustable - 600 750 mm **Seat Height:**

Adjustable - 300 mm to 450 mm





Scholar-2S



Type 'C' - 1200mm x 400mm x 700mm H-(For classes VII to IX STD)

Type 'D' - 1200mm x 400mm x 750mm H-(For classes X STD & above)

Top & Book Shelf: 18 mm thick - Grey shade - PLB - OSL.

Frame for Desk and Chair: 48 mm X 22 mm X 1.2 mm; 35 mm X 15 mm X 1.2 mm; 32 mm X 12 mm X 1.2 mm M.S oval tubes & 25 mm X 25 mm X 1.2 mm M.S sq.tubes - Blue shade (powder coated).

Modesty: 1mm thick M.S perforated sheet - Blue shade (powder coated).

Seat & Back Rest : Moulded shell - Grey shade - Seat height 400mm from floor for Type - 'C' and 450mm for Type - 'D'.



FUTURE - 2S



Type 'C'-size: Desk top-1050mm x 400mm x 700mm H-(For classes VII to IX STD)

Seat-1050mm x 300mm x 400mm H

Backrest- 1050mm x150mm

Type 'C'-size: Desk top-1050mm x 400mm x 750mm H-(For classes X STD & above)

Seat-1050mm x 300mm x 450mm H

Backrest- 1050mm x150mm

Top, seat & backrest: 18mm thick - MDF board -2 sides postformed finish and 2 sides PVC strip finish(top),1 side postformed finish and 3 sides PVC strip finish (seat and backrest)

Under structure: 40mm x 20mm x 1.6mm rectangular & 18mm Sq. x 1.2mm thick M.S. CR tubes

Book rack below the seat: 18mm sq x 1.2mm thick M.S. CR tubular frame with 3mm thick M.S. rod

Finish: All the metal parts are powder coated in black shade



ECO - 2S



Type 'A'-size: Desk top-900mm x 325mm x 600mm H-(For classes I, II & III)

Type 'B'-size: Desk top-900mm x 325mm x 650mm H-(For classes IV, V & VI)

Type 'C'-size: Desk top-1050mm x 400mm x 700mm H-(For classes VII, VIII & IX)

Type 'D-size: Desk top-1050mm x 400mm x 750mm H-(For classes X STD & Above)

Top, seat & backrest: 18mm thick-PLB & OSL-edge banded with PVC strip- bavarian beech shade

Frame: 25mm Sq. x 1mm thick M.S. tube-powder coated in black shade

Book shelf: 1mm thick M.S. sheet panel-3 sides covered-powder coated in black shade



OPTIMO - 2S



Type 'A'-size: Desk top-900mm x 325mm x 600mm H-(For classes I, II & III)

Type 'B'-size: Desk top-900mm x 325mm x 650mm H-(For classes IV, V & VI)

Type 'C'-size: Desk top-1050mm x 400mm x 700mm H-(For classes VII, VIII & IX)

Type 'D-size: Desk top-1050mm x 400mm x 750mm H-(For classes X STD & Above)

Top, seat & backrest: 18 mm thick-finger joint board-polished

Frame: 25mm Sq. x 1.2mm thick M.S. tube-powder coated in blue shade

Book shelf & Modesty: 1mm thick M.S. sheet-powder coated in red shade



BRAINO - 2S

Carpments equipments

Type 'A'-size: Desk top-900mm x 325mm x 600mm H-(For classes I, II & III)

Type 'B'-size: Desk top-900mm x 325mm x 650mm H-(For classes IV, V & VI)

Type 'C'-size: Desk top-1050mm x 400mm x 700mm H-(For classes VII, VIII & IX)

Type 'D-size: Desk top-1050mm x 400mm x 750mm H-(For classes X STD & Above)

Top, seat & backrest: 18mm thick - MDF board -2 sides postformed finish and 2 sides PVC strip finish(top),1 side postformed finish and 3 sides PVC strip finish (seat and backrest)

Frame: 25mm Sq. tube x 1.2mm thick & 1mm thick M.S. sheetpowder coated in opel white shade

Book shelf: 1mm thick-M.S. sheet panel-3 sides covered-powder coated in opel white shade with bag hook on both side

Colour options for top, seat & backrest: Red /Caribe/Blue/Yellow/Saffron/Green



CREATIVE - 2S



Type 'C'-size: Desk top-1050mm x 400mm x 700mm H-(For classes VII to IX STD)

Seat-1050mm x 300mm x 400mm H

Backrest- 1050mm x150mm

Type 'D'-size: Desk top-1050mm x 400mm x 750mm H-(For classes X STD & above)

Seat-1050mm x 300mm x 450mm H

Backrest- 1050mm x150mm

Top, seat & backrest: 18mm thick - MDF board- 2 sides postformed finish and 2 sides PVC strip finish(top),1 sides postformed finish and 3 sides PVC strip finish (seatand backrest)

Book shelf: 1mm thick M.S. CR sheet - 3 sides covered

Under structure: 1.2mm thick CR sheet with 50mm x 25mm x 1.2mm thick rectangular and 25mm Sq. x 1.2mm thick M.S. CR tubes

Finish: All the metal parts are powder coated-opel white shade

Colour options for

top, seat & backrest: Red/Caribe/Blue/Yellow/Saffron/Green



FLEX - 2S



Type - 'C': 1200mm x 400mm x 700mm H-(For classes VII to IX STD)

Type - 'D': 1200mm x 400mm x 750mm H-(For classes X STD and above)

Top: 18 mm thick-finger joint board-polished

Book shelf: 1mm thick M.S sheet panel-3 sides covered-powder coated in black

shade **Frame for desk:** 25mm dia x 1.2mm thick M.S tube-powder coated in black

shade Frame for chair: 18mm dia x 1.2 mm thick M.S tube-powder coated in black

shade **Seat & back:** 12mm thick-moulded plywood-polished

Chair height: 400mm height from the floor for type-'C' and 450mm height for type-'D'



EXCELLO - 2S



Type - 'D': Desk top-1050mm x 400mm x 750mm H-(For classes X STD & above) Seat-1050mm x 300mm x 450mm H Backrest- 1050mm x150mm

Top, seat & backrest: 18mm thick-PLB-edge banded with PVC stripbavarian beech shade-OSL

Frame: 25mm sq.-M.S. tube & 1mm thick-M.S. sheet-powder coated in munshell grey shade

Book shelf: 1mm thick M.S. sheet-three sides covered-powder coated in munshell grey shade-bag hook on both sides



PRIMO-2S



Type - 'D': 1050mm x 400mm x 750mm H-(For X STD and above)

Top: 18mm thick-MDF board-post formed finish at two sides & PVC strip at other two sides-silver grey shade-OSL

Book shelf: 1mm thick M.S. sheet-three sides covered-powder coated in opel white shade

Frame: 25mm sq. x 1.2mm thick M.S. tube-powder coated in anthracite grey shade-bag hook onsides

Seat & back: M.S. perforated sheet-powder coated in anthracite grey shade



Three Seater



ECO - 3S

Type 'A'-size: Desk top-1200mm x 325mm x 600mm H-(For classes I, II & III)

Type 'B'-size: Desk top-1350mm x 325mm x 650mm H-(For classes IV, V & VI)

Type 'C'-size: Desk top-1350mm x 400mm x 700mm H-(For classes VII, VIII & IX)

Type 'D'-size: Desk top-1500mm x 400mm x 750mm H-(For classes X STD & Above)

Top, seat & backrest: 18mm thick-PLB & OSL-edge banded with PVC strip- bavarian beech shade

Frame: 25mm Sq. x 1mm thick M.S. tube-powder coated in black shade

Book shelf: 1mm thick M.S. sheet panel-3 sides covered-powder coated in black shade



KINDERGARTEN



BETLY - Size: 350mm H from floor

DAFFY - Size: 300mm H from floor

Seat & Backrest: Single moulded plywood with polish

Under structure: 38mm dia x 1.2mm thick and 18mm dia x

1.2mm thick mild steel CR tubes powder coated finish

Colour options for Frame: Red/Green/Blue





SNOW - Size: 350mm H from floor

BUGS - Size: 300mm H from floor

Seat & Backrest: Single moulded both side laminated plywood

Under structure: 38mm dia x 1.2mm thick and 18mm dia x

1.2mm thick mild steel CR tubes powder coated finish

Colour options for Frame: Red/Green/Blue





SCOOBY - Size: 350mm H from floor

MICKEY - Size: 300mm H from floor

Seat & Backrest: Single moulded PP shell

Under structure: 38mm dia x 1.2mm thick and 18mm dia x

1.2mm thick mild steel CR tubes powder coated finish

Colour options for Frame: Red/Green/Blue





TODDLER

Material: Single moulded PP she

Colour options: Red/Green/Orange/Blue/Yellow



KUDO 01



Size: 600mm x 400mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(4 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



KUDO 02



Size: 1200mm x 400mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(5 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



TRAPEZOID



Size: 1250mm x 550mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(4 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



CHART



Size: 645mm x 565mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(3 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



QUARTET



Size: 1350mm x 1350mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(5 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



SHARE



Size: 1100mm x 585mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(3 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



WAVE



Size: 1100mm x 550mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(4 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



FLOWER



Size: 1200mm x 1200mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(4 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



BUTTERFLY



Size: 1250mm x 1150mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(4 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



MAP



Size: 900mm X 350mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(3 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



GLOBE



Size: 950mm x 650mm

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(4 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



TRIPLET



Size: 1100 dia

Top: 18mm thick-MDF board-PVC foil-vacuum formed finish/PU paint finish

Vertical Support(4 Nos): M.S tube of size 38mm and 32mm dia x 1.2mm

thick

-450mm to 600mm height adjustable-powder coated finish dual colour (closer to the shade of top & opel white)



TRIO



Size: 1200mm x 1200mm x 450mm H-six seater

Top: 18mm thick-PLB-OSL-edge banded with PVC strip

Vertical Support: M.S. tube of 38mm dia X 1.2mm thick-powder coated

finish in opel whiteshade



SQUARE



Size: 1200mm x 1200mm x 450mm H-eight seater

Top: 18mm thick-PLB-OSL-edge banded with PVC strip

Vertical Support: M.S. tube of 38mm dia X 1.2mm thick-powder coated

finish in opel whiteshade



POLO



Size: 1200mm x 600mm x 450mm H-four seater

Top: 18mm thick-PLB-OSL-edge banded with PVC strip

Vertical Support (4 Nos): M.S. tube of 38mm dia X 1.2mm thick-powder coated finish in opel white shade



URO



URO-01-Size: 2400mm x 750mm x 450mm H-eight seater

URO-02-Size: 1800mm x 600mm x 450mm H-six seater

Top: 18mm thick-PLB-OSL-edge banded with PVC strip

Vertical Support: M.S. tube of 38mm dia X 1.2mm thick-powder coated finish in opel whiteshade



ORBIT



Size: 1200mm dia x 450mm H-six seater

Top: 18mm thick-PLB-OSL-edge banded with PVC strip

Vertical Support (4 Nos): M.S. tube of 38mm dia X 1.2mm thick-powder coated finish in opel white shade



BEAN



Size: 1550mm x 520mm x 450mm H-three seater

Material: PP Moulded top and legs

Colour options: Blue/Green/Red/Yellow



READING TABLE



Knowledge- size: 2400mm x 1200mm x 750mm H

Wisdom- size: 1800mm x 1200mm x 750mm H

Top: 25mm thick-PLB-OSL-beverian beech shade-edge banded with PVC strip

Under Structure: 30mm Sq. tube x 1.2mm thick-powder coated in black

shade



READING TABLE



UTILITY- size: 1200mm x 600mm x 750mm H

VALUE - size: 900mm x 600mm x 750mm H

Top: 18mm thick-PLB-OSL-beverian beech shade-edge banded with PVC strip

Under Structure: 25mm Sq. tube x 1.2mm thick-powder coated in black shade



ALIGN



Align (1500mm H)

Align SS1 Size: 920mm(L) x 360mm(D) x 1500mm H

Align SS2 Size: 1810mm(L) x 360mm(D) x 1500mm H-

Align SS3 Size: 2700mm(L) x 360mm(D) x 1500mm H-

Align SS4 Size: 3590mm(L) x 360mm(D) x 1500mm H-

Align SS5 Size: 4480mm(L) x 360mm(D) x 1500mm H-

Align (2100mm H)


Align LS1 Size: $920mm(L) \times 360mm(D) \times 2100mm H$ -

Align LS2 Size: 1810mm(L) x 360mm(D) x 2100mm H-

Align LS3 Size: 2700mm(L) x 360mm(D) x 2100mm H-

Align LS4 Size: 3590mm(L) x 360mm(D) x 2100mm H-

Align LS5 Size: 4480mm(L) x 360mm(D) x 2100mm H-



ALIGN



Align (1500mm H)

Align SD1 Size: 920mm(L) x 660mm(D) x 1500mm H -

Align SD2 Size: 1810mm(L) x 660mm(D) x 1500mm H-

Align SD3 Size: 2700mm(L) x 660mm(D) x 1500mm H-

Align SD4 Size: 3590mm(L) x 660mm(D) x 1500mm H-

Align SD5 Size: 4480mm(L) x 660mm(D) x 1500mm H-

Align (2100mm H)

Align LD1 Size: 920mm(L) x 660mm(D) x 2100mm H

Align LD2 Size: 1810mm(L) x 660mm(D) x 2100mm H-

Align LD3 Size: 2700mm(L) x 660mm(D) x 2100mm H-

Align LD4 Size: 3590mm(L) x 660mm(D) x 2100mm H-

Align LD5 Size: 4480mm(L) x 660mm(D) x 2100mm H-



AUDITORIUM



SLIMLINE AUDI

- 40 density PU moulded foam seat and backrest
- Common "L" type PU handle with M.S. insert
- Fabric/Leatherite upholstered
- Frame: 60mm x 40mm x 1.6mm thick, 48mm dia x 2mm thick and 25mm dia x 1.2mm thick, mild steel CR tubes-Powder coated
- Provision for floor grounding



LUXURY AUDI



- 40 density PU moulded foam seat & backrest
- Common PU handle with metal insert
- Fabric/leatherite upholstered
- PP cover at the rear of seat & backrest
- Heavy duty M.S. frame understructure-powder coated
- Provision for floor grounding



TABLET AUDI



- Half writing pad-collapsible
- 40 density PU moulded foam seat & backrest
- Common PU handle with metal insert
- Fabric/leatherite upholstered
- PP cover at the rear of seat & backrest
- Heavy duty M.S. frame understructure-powder coated
- Provision for floor grounding



CORNATE AUDI



- Seat and Backrest-Single moulded nylon
- shell Common PU handle with metal insert
- Frame: 60mm x 40mm x 1.6mm thick, 48mm dia x 2mm thick and 25mm dia x 1.2mm thick, mild steel CR tubes-Powder coated
- Provision for floor grounding



BOARDING AUDI



- Frame: 48mm dia x 2mm thick, 48mm x 22mm x 2mm thick oval,
 18mm dia x 1.2mm thick mild steel
- CR tubes-Powder coated
- Seat & Backrest: 1.2mm thick perforated sheet-powder coated
- Provision for floor grownding



HOSTEL



PAIR-BUNKER COT

Size: 1905mm x 762mm x 1800mm H

Design: One lower bed & one upper bed with safety guard at both

sides and with ladder

Specification: 60mm dia x 1.6mm thick, 40mm x 20mm x 1.6mm thick rectangular, 25mm Sq., 25mm & 18mm dia x 1.2mm thick M.S. tubes powder coated in brown shade

Bed: 12mm thick commerical plywood-2 Nos.

Mattress (2 Nos): 40 density, 50mm thick, 'duroflex' brand foam-leatherite upholstered with zip

Pillow (2 Nos): 'Reliance' brand virgin recronfilled-leatherite upholstered



TWIN-BUNKER COT



Size: 1905mm x 762mm x 1800mm H

Design: One lower bed & one upper bed with safety guard at both sides and with ladder

Specification: 40mm Sq. x 1.2mm thick, 60mm x 40mm x 1.6mm thick rectangular, 25mm Sq. x 1.2mm thick M.S. tubes-powder coated in dual colour (opel white & anthracite grey shade)

Bed: 12mm thick commerical plywood-2 Nos.

Mattress (2 Nos): 40 density, 50mm thick, 'duroflex' brand foam- leatherite upholstered with zip

Pillow (2 Nos): 'Reliance' brand virgin recronfilled-leatherite upholstered



REST



Size: 1905mm x 762mm x 360mm H

Specification: 25mm & 18mm dia x 1.2mm thick tubular sections

Bed: 1.2mm thick steel CR sheet-bottom support with ribs &

M.S. tubes

Finish: Powder coated in dual colour (brown & opel white)



DREAM



Size: 1905mm x 762mm x 360mm H

Specification: 40mm Sq. x 1.6mm thick, 60mm x 40mm x 1.6mm thick rectangular, 25mm Sq. x 1.2mm thick M.S. tube-powder coated in opel white & anthracite greyshade

Bed: 12 mm thick commercial plywood

Mattress: 40 density, 50mm thick, 'duroflex' brand foam - leatherite upholstered with zip

Pillow: 'Reliance' brand virgin recron filled - leatherite upholstered



BOARDS




EXHIBIT-NOTICE BOARD

Size: 2400mm x 1200mm

Size: 1800mm x 1200mm -

Size: 1200 mm x 900mm

Material: 8mm thick particle board covered with felt cloth and with aluminium frame



WRITER-CHALKBOARD



Size: 2400mm x 1200mm

Size: 1800mm x 1200mm -

Size: 1200 mm x 900mm

Material: 8mm thick particle board with M.S. sheet in green colour and with aluminium frame



ARTLINE-MARKER BOARD




Size: 2400mm x 1200mm

Size: 1800mm x 1200mm -

Size: 1200 mm x 900mm

Material: 8mm thick particle board with M.S. sheet in white colour and with aluminium frame



EXPO- SLIDING DOOR BOARD



Size: 1200mm x 900mm

Size: 900mm x 600mm -

Material: 8mm thick particle board covered with felt cloth and with sliding glass door



LAB FURNITURE



CHLORIDE - Chemistry Lab Table

Size: 2430mm x 1210mm x 900mm H

Top: 18mm thick granite-black shade-full round edges (2 pieces)

Under structure: 4 Nos. of storage unit comprising of one drawer & one swing door cupboard & 2 Nos. of storage unit with a set of swing doors-18mm thick HMR grade MDF with laminates-white & Red shade

Bottom support: 40mm x 20mm x 1.2mm thick rectangular M.S tube- powder coated-opel white shade

Accessories: 2 Nos. of sink with tap & 2 Nos. of reagent rack with 2 compartments.



DIODE - Physics Lab Table

(To be placed at wall side)

Size: 2430mm x 610mm x 900mm H

Top: 18mm thick granite-black shade-full round edges (2 pieces)

Under structure: 2 Nos of storage unit comprising of one drawer and one swing type door cupboard and 1 Nos of storage unit with a set of swing doors - 18 mm thick HMR grade MDF with laminates - Red & White.

Bottom support: 40mm x 20mm x 1.2mm thick rectangular M.S tube-powder coated-opel white shade

Accessories: 2 No of switch Box to accommodate 2 Nos of 5 / 15 Amps socket and switches in each box (without switches & sockets)





AMMONIA - Chemistry Lab Table



Size: 2430mm x 1210mm x 900mm H

Top: 18mm thick granite-black shade-full round edges (2 pieces)

Under structure: 40mm x 20mm x 1.2mm thick M.S. rectangular tube-powder coated in munshell grey shade

Accessories: 2 Nos. of sink with tap & 2 Nos. of reagent rack with 2 compartment



Triple Beem - Physics Lab Table

(To be placed at wall side)

Size: 2430 mm x 610 mm x 900 mm H

Top: 18 mm thick - Granite - Black Shade - Full round edges

Under structure: 40 mm x 20 mm x 1.6 mm thick and 25 mm Sq x

1.2 mm thick Sq MS tubes - Munshell Grey Shade (Powder Coated)

Accessories: 2 Nos od switch box to accommodate 2 Nos of 5 / 15 Amps sockets and switches in each box (Without Switches & Sockets)





RESEARCH



Size: 390mm x 380mm x 600mm H

Under structure: 48mm x 22mm x 1.6mm, 35mm x 12mm x 1.2mm, 35mm x 15mm x 1.2mm M.S. tube-powder coated in munshell grey shade

Seat: Moulded shell in blue colour



STOOL



ARTIST-Size: 300mm x 300mm x 450mm H

TECHNICIAN-Size: 375mm x 375mm x 675mm H

Understructure: 25 mm square 1.2 mm thick M.S. tube - powder

coated in black shade

Top: 18 mm thick Pre-laminated particle board duly edge banded with 2 mm thick PVC strip - bavarian beech shade



DESSERT



Size - Table : 2400mm x 450mm x 750mm(H) - 4 Seater

Size - Bench : 2400mm x 300mm x 450mm(H)

Frame (Table & bench): 30mm & 25mm sq x 1.2mm thick, stainless steel tube-202 grade.

Top (Table & bench): 1.2mm thick stainless steel sheet-polished-202 grade.



DINE



Size - Table : 1800mm x 450mm x 750mm(H) - 3 Seater

Size - Bench : 1800mm x 300mm x 450mm(H)

Frame (Table & bench): 30mm & 25mm sq x 1.2mm thick, stainless steel tube-202 grade.

Top (Table & bench): 1.2mm thick stainless steel sheet-polished-202 grade.



TREAT



Size - 2400mm x 750mm x 750mm(H) -With 8 Stools **Frame (Table & Stool) :** 30mm dia & 25mm dia x 1.2mm thick, stainless steel tube- 202 grade

Table Top: 1.2mm thick stainless steel sheet-polished-202 grade

Stool Top: 300mm dia x 1.2mm thick stainless steel sheet duly folded at

edge



CHIEF



Size: 1800mm x 750mm x 750mm (H) - With 6 Stools

Frame (Table & Stool): 30mm dia & 25mm dia x 1.2mm thick, stainless steel

tube- 202 grade

Table Top: 1.2mm thick stainless steel sheet-polished-202 grade

Stool Top: 300mm dia x 1.2mm thick stainless steel sheet duly folded at

edge



BUFFET



Size-Table: 2400mm x 750mm x 750mm-8 Seater

Size-Bench (2 Nos) : 2400mm x 300mm x

450mm

Frame (Table & Bench): 30mm & 25mm sq x 1.2mm thick, stainless steel tube-202 grade

Top (Table & Bench): 1.2mm thick stainless steel sheet-polished-202 grade.

FEAST



Size-Table : 1800mm x 750mm x750mm(H) - 6 Seater

Size-Bench (2 Nos) : 1800mm x 750mm x

450mm(H)

Frame (Table & Bench): 30mm & 25mm sq x 1.2mm thick, stainless steel tube-202 grade

Top (Table & Bench): 1.2mm thick stainless steel sheet-polished-202 grade.